

North Central District Health Department

- Enfield - 31 North Main Street, Enfield, CT 06082 - (860) 745-0383 FAX 745-3188
- Vernon - 375 Hartford Turnpike, Room 120, Vernon, CT 06066 - (860) 872-1501 FAX 872-1531
- Windham - Town Hall, 979 Main Street, Willimantic, CT 06226 - (860) 465-3033 FAX 465-3032
- Stafford -Town Hall, 1 Main Street, Stafford Springs, CT 06076 - (860) 684-5609 FAX (860) 684-1768

PLANS SUBMITTED FOR REVIEW FOR THE REPAIR/REPLACEMENT OF SEPTIC SYSTEMS THAT ARE NOT PREPARED BY AN ENGINEER SHALL BE PREPARED TO INCLUDE THE FOLLOWING:

1. Submitted on blueprint stock or 8½ x 11 paper. Plan must be drawn to scale (1" = 20' or 1" = 30').
2. Show permanent benchmark within 12' horizontally and in close proximity to the proposed septic system. (Assumed elevation is okay.)
3. Show original grade spot elevations in leaching area. Highest elevation within each trench must be shown.
4. Show slope in, and immediately below, proposed septic area.
5. Show significant setbacks.
6. Show primary and reserve areas.
7. Show leaching system detail (components) in primary area.
8. Show maximum depth into grade.
9. Show a written description of system components and number of bedrooms in home.
10. Show separation distances to proposed and existing wells, including wells on adjacent properties. If no wells exist within 75 feet of proposed system, state on plan.
11. Show boundaries and easements.
12. Show location of percolation hole and test pits.
13. Show MLSS if mottles or a restrictive layer has been observed within 60 inches of soil surface.
14. Show wetlands and/or water bodies.